




MNT BEARING LTD



FYNT 75 F Bearing 2D drawings and 3D CAD models

SKF FYNT 75 F Bearing unit

Bearing No. FYNT 75 F

Size	75x82x25 mm
Bore Diameter	75 mm
Outer Diameter	82 mm
Width	25 mm
d_a	75 mm
A_1	82 mm
A_2	25 mm
T - max.	81.3 mm
B	72 mm
H	210 mm
H_1	105 mm
J	170 mm
L	210 mm
D_a	170 mm
H	19 mm
a	6 mm
J_5	93 mm
J_6	63 mm
N_4 - max.	8 mm
A_3	80 mm
A_5	38.5 mm
b_a - min.	38 mm
b_a - max.	70 mm
Basic dynamic load rating - C	212 kN



MNT BEARING LTD

Basic static load rating - C_0	240 kN
Fatigue load limit - P_u	26.5 kN
Limiting speed	2500 r/min
Calculation factor - e	0.22
Calculation factor - Y_1	3
Calculation factor - Y_2	4.6
Diameter - d_m	102.5 mm
Basic Designation bearing	22215 E
P_a	25 kN
P_1	160 kN
P_2	155 kN
P_3	415 kN
Mass bearing unit	12 kg
Category	Mounted Units & Inserts
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight / Kilogram	12.669
EAN	7316574500543
Product Group	M06288
d_a	75 mm
A_1	82 mm
A_2	25 mm
T max.	81.3 mm
H_1	105 mm
D_a	170 mm
N	19 mm
A_3	80 mm
A_5	38.5 mm
b_a min.	38 mm
b_a max.	70 mm



MNT BEARING LTD

J_5	93 mm
J_6	63 mm
N_4 max.	8 mm
Basic dynamic load rating C	212 kN
Basic static load rating C_0	240 kN
Fatigue load limit P_u	26.5 kN
Calculation factor e	0.22
Calculation factor Y_1	3
Calculation factor Y_2	4.6
Bearing mean diameter d_m	102.5 mm
P_1	160 kN
P_2	155 kN
P_3	415 kN
P_a	25 kN
Attachment bolt diameter G	16 mm
Tightening torque for attachment bolts	200 N · m
Grub screws	5 x M 6
Tightening torque for grub screws	8 N · m
Grease quantity for relubrication	8 g